

## FTB640L

#### Fusion Thermal Binocular with Laser Range finder & Positioning System



#### Description

FTB640L is composed of low light CMOS sensor and IR sensor for day and night surveillance. With OLED display and metal housing, it is a military standard thermal binocular for border defense, law enforcement and other military tasks. It is built with the laser range finder and GPS, who can locate the target in long distance.

It can be used in all the weather (including fog, smog, rain, snow). Its fusion detection can outstand the targets, by which the target can be identified easily. It can record (video and picture-taking) the target after it is identified. Therefore, it can be widely used for patrol, law enforcement, rescue, search of drug dealers and criminals, etc.



# **G**BTec

## Features:

- 1. Fusion thermal
- 3. Low light CMOS camera
- 5. Laser range finder

## Specification:


- 2. GPS & Compass
- 4. OLED display & WIFI
- 6. Motorized focus

Visible light sensor	Low light CM	OS sensor
	Low light CMOS sensor	
Resolution	1280x768	
Pitch	бµт×бµт	
Wave length	350~1000nm	
Focus length	35mm	
FOV	11°×8.6°	
IR sensor	uncooled	
IR Resolution	640X512	
Pitch	12 um	
Spectrum	8-14 um	
LRF	2KM (905nm)	6KM (1535nm)
NETD	<40mk @f/1.0	
Frame rate	50HZ	
Focus length	50mm f/1.0 motorized lens	
FOV	7.4°×5.6°	
Display	0.5 Inch,OLED, 800x600	
Image mode	6	
Optical magnification	5X	
Zoom	1X,2X,3X,4X	
Storage	Built-in 64G	



Compass &GPS	Yes	
WIFI	Real time image transfer	
Battery	4 pcs of 18650 battery	
Working hours	≥8 hours	
Working temperature	-40°C to+60°C	
Storage temperature	-40°C to+60°C	
Waterproof	IP67	
Weight	<1.65kg (without battery)	
Dimension	180mmx178mmx93mm	
Brightness adjustment	Manual / automatic	
Video	Avi format / PAL	
Photos	JPEG	
Port for cable	Data, power, BNC	

### **Distance:**



COBTEC., LTD

Email: cf@cbtoptics.com



Tel: +861084440108/09/02/03

Add: TianTongTai Valley, ETD District, 100176, Beijing, China

